OUTDOOR LIGHTING

2022



P.4 STREET LAMP HEAD



P.58 SUPPORTS & EMBEDDED PARTS



P.80 LANDSCAPE LIGHTS

P.130 STREET LIGHTS FOR HARD CLIMATE

OTHER CATALOGUES
WWW.SVETHOLL.RU

interactive menu

MENU ALPHABETIC

STREET LAMP HEAD

Aldebaran 90°.....42
Aldebaran 105°.....44
Alkes.....46
Amiso.....50
Anser.....22
Askela.....48
Atic.....40
Blazar.....6
Eridan.....30
Herkules.....20
Ikar.....8
Kallisto.....28
Keel.....16
Kepler.....14
Legno.....26
Liberty.....52
Lilit.....32
Lumier.....38
Manisa.....24
Mattone.....10
Nodo.....56
Polar.....36
Sunshine.....12
Titan.....18
Trionfo.....54
Twinkle.....34

SUPPORT

Type 1.....60
Type 2.....62
Type 3.....64
Type 4.....66
Type 5.....68

EMBEDDED PARTS

Type 1.....72
Type 2.....74
Type 3.....76

LANDSCAPE LAMPS

Alpha.....94
Encelad.....98
Felichia.....96
Gadar.....88
Geba.....104
Gradient.....126
Grasso.....116
Inviz.....118
Insontro rounded.....82
insontro squared.....84
Kvazar.....90
Ninfa.....110
Nuvola.....122
Parsek.....92
Pioppo.....120
Pluton.....128
Ridotta.....114
Serra.....124
Solas.....102
Soro.....100
Tana.....108
Terra.....106
Torre.....112
Zanna.....86

STREET LIGHTS FOR HARD CLIMATE

All.....130

2022
STREET
LAMP
HEAD

MENU ALPHABETIC
STREET LAMP HEAD

Aldebaran 90°.....42
Aldebaran 105°.....44
Alkes.....46
Amiso.....50
Anser.....22
Askela.....48
Atic.....40
Blazar.....6
Eridan.....30
Herkules.....20
Ikar.....8
Kallisto.....28
Keel.....16
Kepler.....14
Legno.....26
Liberty.....52
Lilit.....32
Lumier.....38
Manisa.....24
Mattone.....10
Nodo.....56
Polar.....36
Sunshine.....12
Titan.....18
Trionfo.....54
Twinkle.....34

MENU

interactive menu

STEEL

LENS LED 50 000h

3000/4000/5000K
Color temperature

176-264V / 50Hz
Voltage

BLAZAR

Street lamp head

L915/B120/H550
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



SUPPORT **TYPE N°4**
person, h = 1650mm

BLAZAR

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USBZ-1-05-050	915 / 120 / 550	50	6030	18,4	3000 / 4000 / 5000
2	USBZ-1-05-100	912 / 120 / 550	100	12060	18,4	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

IKAR

Street lamp head

L310/B100/H400
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

1

SUPPORT **TYPE N°5**
person, h = 1650mm

IKAR

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USIR-1-04-050	310 / 100 / 400	50	6030	11,6	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

MATTONE

Street lamp head



L230/B150/H120
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

1



SUPPORT **TYPE N°5**
person, h = 1750mm

MATTONE

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USMT-1-01-030	230 / 150 / 120	30	4320	3,9	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

SUNSHINE

Street lamp head

D800/H300
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

1



SUPPORT **TYPE N°2**

person, h = 1650mm

SUNSHINE

Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1 USSN-4-03-200	800 / 300	200	24120	8,8	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

KEPLER

Street lamp head

L700/B700/H700
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



SUPPORT **TYPE N°4**

person, h = 1650mm

KEPLER

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USKP-1-07-200	700 / 700 / 700	200	24120	24,3	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

KEEL

Street lamp head

L1550/B180/H530
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°4** SUPPORT **TYPE N°2** SUPPORT **TYPE N°3**

person, h = 1650mm

KEEL

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USKI-1-14-050	1600 / 180 / 1400	50	6030	27,0	3000 / 4000 / 5000
2	USKI-1-14-100	1600 / 180 / 1400	100	12060	27,0	3000 / 4000 / 5000
3	USKI-4-08-050	1100 / 180 / 880	50	6030	19,4	3000 / 4000 / 5000
4	USKI-4-08-100	1100 / 180 / 880	100	12060	19,4	3000 / 4000 / 5000
5	USKI-4-05-050	1550 / 180 / 530	50	6030	24,1	3000 / 4000 / 5000
6	USKI-4-05-100	1550 / 180 / 530	100	12060	24,1	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

TITAN

Whole street lamp

L2042/B800/H3425
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1650mm

TITAN

Art.	L / B / H, mm	Watt	Kg	Color t°, K
USTI-9-34-150	2042 / 800 / 3425	150	391,5	3000 / 4000 / 5000

OTHER LAMPS OF THE SERIES:

HERCULES P.20

PLUTON P.128

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

HERKULES

Whole street lamp

D1460/H3600
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1750mm

HERKULES

Art.	D / H, mm	Watt	Kg	Color t°, K
USGK-9-36-200	1460 / 3600	200	243,6	3000 / 4000 / 5000

OTHER LAMPS OF THE SERIES:

TITAN P.18
PLUTON P.129

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow

MENU p.3

ANSER

Street lamp head

L1300/B400/H300
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

1

SUPPORT **TYPE N°5**

person, h = 1750mm

ANSER

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USAN-1-03-100	1300 / 400 / 300	100	14320	18,8	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

MANISA

Street lamp head

D255/H600
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

1

SUPPORT **TYPE N°2**

person, h = 1750mm

MANISA

	Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1	USMA-4-06-048	255 / 600	48	3850	11,3	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

LEGNO

Street lamp head

L1370/B120/H850
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°1**
person, h = 1750mm

LEGNO

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USLN-3-08-050	1370 / 120 / 850	50	6030	19,1	3000 / 4000 / 5000
2	USLN-3-08-100	1370 / 120 / 850	100	12060	19,1	3000 / 4000 / 5000
3	USLG-3-08-100	2600 / 120 / 850	100	12060	32,3	3000 / 4000 / 5000
4	USLG-3-08-200	2600 / 120 / 850	200	24120	32,3	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow

MENU p.3

KALLISTO

Street lamp head

L1040/B100/H1650
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°5**
person, h = 1650mm

KALLISTO

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USKL-1-16-050	1040 / 100 / 1650	50	6030	20,1	3000 / 4000 / 5000
2	USKL-1-16-100	1040 / 100 / 1650	100	12060	20,1	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

ERIDAN

Street lamp head

D570/H560
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

1

SUPPORT **TYPE N°2**

person, h = 1700mm

ERIDAN

	Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1	USRN-4-05-049	570 / 560	49	3630	13,8	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

LILIT

Street lamp head

L500/B500/H860
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



SUPPORT **TYPE N°2**
person, h = 1700mm

LILIT

Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1 USLL-1-08-050	500 / 500 / 860	50	7160	23,7	3000 / 4000 / 5000
2 USLL-1-08-100	500 / 500 / 860	100	14320	23,7	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

TWINKLE

Street lamp head

L1260/B100/H780
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



SUPPORT **TYPE N°5**

person, h = 1700mm

TWINKLE

Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1 USTV-1-07-100	1260 / 100 / 780	100	12060	25,8	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

POLAR

Street lamp head

D600/H760
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



SUPPORT **TYPE N°2**
person, h = 1700mm

POLAR

	Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1	USPL-4-12-032	600 / 760	32	12060	22,0	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow

MENU p.3

LUMIER

Street lamp head

L970/B250/H700
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°2**

person, h = 1700mm

LUMIER

	Art.	L / B / H, mm	Lamp, pcs (E27)	Kg	Color t°, K
1	USLM-4-09-999	600 / 250 / 970	1	12,6	3000 / 4000 / 5000
2	USLM-4-05-999	970 / 250 / 560	2	13,6	3000 / 4000 / 5000
3	USLM-4-07-999	970 / 250 / 700	3	13,9	3000 / 4000 / 5000
4	USLR-4-09-999	250 / 250 / 970	1	8	3000 / 4000 / 5000
5	USLR-4-05-999	970 / 250 / 560	2	9,1	3000 / 4000 / 5000
6	USLR-4-07-999	970 / 250 / 700	3	9,4	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

ATIC

Street lamp head

L880/B115/H250
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°2**

person, h = 1700mm

ATIC

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USAT-3-02-050	880 / 115 / 250	50	6030	12,4	3000 / 4000 / 5000
2	USAT-3-02-100	880 / 115 / 250	100	12060	12,4	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

ALDEBARAN 90°

Street lamp head

L920/B120/H260
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



SUPPORT **TYPE N°4**
person, h = 1700mm

ALDEBARAN 90°

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USAB-3-02-050	920 / 120 / 260	50	6030	10,2	3000 / 4000 / 5000
2	USAB-3-02-100	920 / 120 / 260	100	12060	10,2	3000 / 4000 / 5000
3	USAV-3-02-100	920 / 920 / 260	100	12060	16,8	3000 / 4000 / 5000
4	USAX-3-02-100	1720 / 120 / 260	100	12060	16,8	3000 / 4000 / 5000
5	USAX-3-02-200	1720 / 120 / 260	200	24120	16,8	3000 / 4000 / 5000
6	USAY-3-02-150	1720 / 920 / 260	150	18090	33,4	3000 / 4000 / 5000
7	USAY-3-02-200	1720 / 1720 / 260	200	24120	42,9	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

ALDEBARAN 105°

Street lamp head

L1620/B870/H390
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°4**
person, h = 1700mm

ALDEBARAN 105°

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USAA-3-03-050	870 / 120 / 390	50	6030	10,2	3000 / 4000 / 5000
2	USAA-3-03-100	870 / 120 / 390	100	12060	10,2	3000 / 4000 / 5000
3	USVA-3-03-100	870 / 870 / 390	100	12060	16,8	3000 / 4000 / 5000
4	USTT-3-03-100	1620 / 120 / 390	100	12060	16,8	3000 / 4000 / 5000
5	USTT-3-03-200	1620 / 120 / 390	200	24120	16,8	3000 / 4000 / 5000
6	USYA-3-04-150	1620 / 870 / 390	150	18090	33,4	3000 / 4000 / 5000
7	USAY-3-04-200	1620 / 1620 / 390	200	24120	42,9	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

ALKES

Street lamp head

D108/H1250
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



SUPPORT **TYPE N°1**

person, h = 1700mm

ALKES

	Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1	USAL-4-08-048	108 / 800	48	3850	6,1	3000 / 4000 / 5000
2	USAL-4-12-096	108 / 1250	96	7701	8,4	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

ASKELA

Street lamp head

L860/B133/H1010
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°3**
person, h = 1700mm

ASKELA

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USAS-4-10-050	860 / 133 / 1010	50	6030	21,3	3000 / 4000 / 5000
2	USAS-4-10-100	860 / 133 /1010	100	12060	21,3	3000 / 4000 / 5000
3	USAT-4-10-100	1587 / 133 / 1010	100	12060	36,6	3000 / 4000 / 5000
4	USAT-4-10-200	1587 / 133 / 1010	200	24120	36,6	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

AMISO

Street lamp head

L740/B115/H400
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°2**
person, h = 1700mm

AMISO

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USAM-3-04-050	740 / 115 / 400	50	6030	17,9	3000 / 4000 / 5000
2	USAM-3-04-100	740 / 115 / 400	100	12060	17,9	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

LIBERTY

Street lamp head

L1150/B100/H1345
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°5**
person, h = 1670mm

LIBERTY

Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1 USLB-1-13-100	1150 / 100 / 1345	100	12060	22,0	3000 / 4000 / 5000
2 USLB-1-13-150	1150 / 100 / 1345	150	18090	22,0	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

TRIONFO

Street lamp head

D570/H600
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

1

SUPPORT **TYPE N°2**
person, h = 1700mm

TRIONFO

Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1 USTO-4-06-050	570 / 600	50	7160	18,9	3000 / 4000 / 5000

Use the order constructor p.133 follow
Lamp head detail, support selection on p.58 follow
MENU p.3

NODO

Street lamp head

L313/B133/H450
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

SUPPORT **TYPE N°5**

person, h = 1670mm

LIBERTY

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USND-4-045-020	313 / 133 / 450	20	2120	8,9	3000 / 4000 / 5000
2	USND-4-045-040	493 / 133 / 450	40	5440	10,9	3000 / 4000 / 5000
3	USND-4-045-060	440 / 390 / 450	60	8160	12,9	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

2022 SUPPORTS & EMBEDDED PARTS



MENU ALPHABETIC

SUPPORT

Type 1.....60
Type 2.....62
Type 3.....64
Type 4.....66
Type 5.....68

EMBEDDED PART



Type 1.....72
Type 2.....74
Type 3.....76

MENU

interactive
menu

STEEL

TYPE 1
SUPPORT



D108/H3000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



TYPE 1

Profile cutout



	Art	D, mm	H, mm	Kg
1	USOP-4-30-000-T1	108	3000	46,4
2	USOP-4-40-000-T1	108	4000	59,8
3	USOP-4-50-000-T1	108	5000	73,0
4	USOP-4-60-000-T1	108	6000	86,6

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

TYPE 2

SUPPORT

D108/76 /H3000

Proportions

COLOR

p.132 follow

GUARANTEE 2 YEAR





TYPE 2

Profile cutout



	Art	D, mm	H, mm	Kg
1	USOP-4-30-000-T2	108 / 76	3000	36,5
2	USOP-4-40-000-T2	108 / 76	4000	45,7
3	USOP-4-50-000-T2	108 / 76	5000	54,9
4	USOP-4-60-000-T2	108 / 76	6000	64,1

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

TYPE 3
SUPPORT



D133/H3000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



TYPE 3

Profile cutout



	Art	D, mm	H, mm	Kg
1	USOP-4-30-000-T3	133	3000	62,7
2	USOP-4-40-000-T3	133	4000	81,1
3	USOP-4-50-000-T3	133	5000	99,4
4	USOP-4-60-000-T3	133	6000	117,8

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

TYPE 4
SUPPORT



L120/B120/H3000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR



TYPE 4

Profile cutout



	Art	L, mm	B, mm	H, mm	Kg
1	USOP-1-30-000-T4	120	120	3000	69,0
2	USOP-1-40-000-T4	120	120	4000	89,8
3	USOP-1-50-000-T4	120	120	5000	110,6
4	USOP-1-60-000-T4	120	120	6000	131,4

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

TYPE 5
SUPPORT



L100/B100/H3000
Proportions

COLOR
p.18 follow

GUARANTEE 2 YEAR



TYPE 5

Profile cutout



	Art	L, mm	B, mm	H, mm	Kg
1	USOP-1-30-000-T5	100	100	3000	45,2
2	USOP-1-40-000-T5	100	100	4000	58,4
3	USOP-1-50-000-T5	100	100	5000	71,6
4	USOP-1-60-000-T5	100	100	6000	84,7

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

SQUARE PROFILE

DECORATIVE MOUNTING HATCH

ДЕКОРАТИВНЫЙ МОНТАЖНЫЙ ЛЮК



ROUND PROFILE

MADE FLUSH

ИЗГОТОВЛЕННЫЙ ЗАПОДЛИЦО

TYPE 1

EMBEDDED PARTS

ЗАКЛАДНЫЕ ДЕТАЛИ

L230/B230/H1200
Proportions

GUARANTEE 2 YEAR



TYPE 1

Profile cutout



	Art	L, mm	B, mm	H, mm	Kg
1	USZL-4-08-000-T1	230	230	800	11,2
2	USZL-4-10-000-T1	230	230	1000	13,8
3	USZL-4-12-000-T1	230	230	1200	16,3
4	USZL-4-18-000-T1	230	230	1800	24,0

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

TYPE 2

EMBEDDED PARTS

ЗАКЛАДНЫЕ ДЕТАЛИ

D180-250/H1200

Proportions

GUARANTEE 2 YEAR



TYPE 2

Profile cutout



	Art	D, mm	H, mm	Kg
1	USZL-4-08-000-T2	180	800	11,2
2	USZL-4-10-000-T2	180	1000	13,8
3	USZL-4-12-000-T2	250	1200	16,3
4	USZL-4-18-000-T2	250	1800	24,0

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

TYPE 3

EMBEDDED PARTS

ЗАКЛАДНЫЕ ДЕТАЛИ

L300/B170/H1200
Proportions

GUARANTEE 2 YEAR



TYPE 3

Profile cutout



	Art	L, mm	B, mm	H, mm	Kg
1	USZL-4-08-000-T3	300	170	800	11,2
2	USZL-4-10-000-T3	300	170	1000	13,8
3	USZL-4-12-000-T3	300	170	1200	16,3
4	USZL-4-18-000-T3	300	170	1800	24,0

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

EMBEDDED PART OF THE LUMINAIRE WITH A MOUNTING HATCH

ЗАКЛАДНАЯ ДЕТАЛЬ СВЕТИЛЬНИКА С МОНТАЖНЫМ ЛЮКОМ

ДЕКОРАТИВНЫЙ КРЕПЕЖ НА ШПИЛЬКАХ

Применяется на светильниках до 2000мм

DECORATIVE FASTENERS ON STUDS

Suitable for landscape luminaires up to 2000mm high

THROUGH MOUNT ON BOLTS

Used on high poles with height over 2000mm

СКВОЗНОЙ КРЕПЕЖ НА БОЛТАХ

Применяется на столбах от 2000мм

2022
LANDSCAPE
LIGHTS



MENU ALPHABETIC
LANDSCAPE LAMPS

Alpha....94
Encelad....98
Felichia....96
Gadar....88
Geba....104
Gradient....126
Grasso....116
Inviz....118
Insontro rounded....82
insontro squared....84
Kvazar....90
Ninfa....110
Nuvola....122
Parsek....92
Pioppo....120
Pluton....128
Ridotta....114
Serra....124
Solas....102
Soro....100
Tana....108
Terra....106
Torre....112
Zanna....86

MENU

interactive menu

STEEL

LENS LED 50 000h

3000/4000/5000K
Color temperature

176-264V / 50Hz
Voltage

INSONTRO

Rounded street arch

L2900/B100/H2400
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

1



1

2

person, h = 1650mm

INSONTRO

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USIN-1-24-080-T4	2900 / 100 / 2400	80	4627	63,5	3000 / 4000 / 5000
2	USIN-1-28-130-T7	3700 / 100 / 2800	130	7504	106,2	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

INSONTRO

Squared street arch

L2200/B100/H2600
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1650mm

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USIN-1-26-095-T1	2200 / 100 / 2600	95	5503	67,4	3000 / 4000 / 5000
2	USIN-1-25-181-T5	2850 / 100 / 2550	181	10505	56,7	3000 / 4000 / 5000
3	USIN-1-36-096-T3	2200 / 100 / 3600	96	5565	76,9	3000 / 4000 / 5000
4	USIN-1-30-181-T6	2100 / 2100 / 3050	181	10505	119,5	3000 / 4000 / 5000
5	USIN-1-30-138-T2	2800 / 100 / 3000	138	8004	65,8	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

ZANNA

Landscape lamp

L80/B160/H600
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

ZANNA

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USZN-4-06-020	80 / 160 / 600	20	2720	9,3	3000 / 4000 / 5000
2	USZN-4-08-020	80 / 160 / 800	20	2720	10,7	3000 / 4000 / 5000
3	USZN-4-10-020	80 / 160 / 1000	20	2720	12,1	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

GADAR

Landscape lamp

L210/B100/H1000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

GADAR

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USGR-3-06-025	210 / 100 / 600	25	3015	13,0	3000 / 4000 / 5000
2	USGR-3-08-025	210 / 100 / 800	25	3015	15,9	3000 / 4000 / 5000
3	USGR-3-10-025	210 / 100 / 1000	25	3015	18,7	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

KVAZAR

Landscape lamp

L195/B190/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

KVAZAR

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USKV-4-06-020	195 / 190 / 600	20	2720	9,7	3000 / 4000 / 5000
2	USKV-4-08-020	195 / 190 / 800	20	2720	11,9	3000 / 4000 / 5000
3	USKV-4-10-020	195 / 190 / 1000	20	2720	14,1	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

PARSEK

Landscape lamp

L200/B100/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

PARSEK

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USPR-3-06-018	200 / 100 / 600	20	2720	10,4	3000 / 4000 / 5000
2	USPR-3-08-018	200 / 100 / 800	20	2720	13,1	3000 / 4000 / 5000
3	USPR-3-10-018	200 / 100 / 1000	20	2720	15,8	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

ALPHA

Landscape lamp



L100/B310/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

ALPHA

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USAF-1-08-025	100 / 310 / 800	25	3015	9,9	3000 / 4000 / 5000
2	USAF-1-10-025	100 / 310 / 1000	25	3015	11,8	3000 / 4000 / 5000
3	USAF-1-12-025	100 / 310 / 1200	25	3015	13,6	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

FELICHIA

Landscape lamp

D108/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

FELICHIA

	Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1	USFL-4-08-045	108 / 800	45	4030	15,7	3000 / 4000 / 5000
2	USFL-4-10-045	108 / 1000	45	4030	18,5	3000 / 4000 / 5000
3	USFL-4-12-045	108 / 1200	45	4030	21,3	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

ENCELAD

Landscape lamp

D57/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

ENCELAD

	Art.	L / B / H, mm	D, mm	Watt	Lumen	Kg	Color t°, K
1	USEC-4-08-030	275 / 290 / 800	57	30	2400	13,5	3000 / 4000 / 5000
2	USEC-4-10-030	275 / 290 / 1000	57	30	2400	14,9	3000 / 4000 / 5000
3	USEC-4-12-030	275 / 290 / 1200	57	30	2400	16,2	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

SORO

Landscape lamp

D108/H1000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1750mm

SORO

	Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1	USSO-4-06-048	108 / 600	48	3839	12,6	3000 / 4000 / 5000
2	USSO-4-08-073	108 / 800	73	5014	15,9	3000 / 4000 / 5000
3	USSO-4-10-083	108 / 1000	83	5726	19,1	3000 / 4000 / 5000
4	USSO-4-15-067	108 / 1500	67	5379	27,1	3000 / 4000 / 5000
5	USSO-4-20-087	108 / 2000	87	6913	35,2	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

SOLAS

Landscape lamp

L100/B160/H1000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

SOLAS

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USSS-3-06-048	100 / 160 / 600	48	3839	10,4	3000 / 4000 / 5000
2	USSS-3-08-073	100 / 160 / 800	73	5014	12,9	3000 / 4000 / 5000
3	USSS-3-10-083	100 / 160 / 1000	83	5726	15,4	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

GEBA

Landscape lamp

L100/B160/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

GEBA

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USGB-3-06-048	100 / 160 / 800	48	3839	10,4	3000 / 4000 / 5000
2	USGB-3-08-073	100 / 160 / 1000	73	5014	12,9	3000 / 4000 / 5000
3	USGB-3-10-083	100 / 160 / 1200	83	5726	15,4	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

TERRA

Landscape lamp

D108/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

TERRA

Profile cutout



	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USTR-1-06-052	150 / 600	52	3260	16,1	3000 / 4000 / 5000
2	USTR-1-08-052	150 / 800	52	3260	20,1	3000 / 4000 / 5000
3	USTR-1-10-052	150 / 1000	52	3260	24,1	3000 / 4000 / 5000
4	USTR-1-15-052	150 / 1500	52	3260	34,0	3000 / 4000 / 5000
5	USTR-1-20-052	150 / 2000	52	3260	43,9	3000 / 4000 / 5000

	Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
6	USTR-4-06-052	108 / 600	52	3260	11,5	3000 / 4000 / 5000
7	USTR-4-08-052	108 / 800	52	3260	12,9	3000 / 4000 / 5000
8	USTR-4-10-052	108 / 1000	52	3260	14,2	3000 / 4000 / 5000
9	USTR-4-15-052	108 / 1500	52	3260	17,6	3000 / 4000 / 5000
10	USTR-4-20-052	108 / 2000	52	3260	21,0	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

TANA

Landscape lamp

L150/B150/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1600mm

TANA

Profile cutout



	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USTN-1-06-052	150 / 150 / 600	52	3260	12,8	3000 / 4000 / 5000
2	USTN-1-08-052	150 / 150 / 800	52	3260	15,6	3000 / 4000 / 5000
3	USTN-1-10-052	150 / 150 / 1000	52	3260	18,3	3000 / 4000 / 5000
4	USTN-1-15-052	150 / 150 / 1500	52	3260	26,0	3000 / 4000 / 5000
5	USTN-1-20-052	150 / 150 / 2000	52	3260	32,8	3000 / 4000 / 5000
6	USTN-2-06-052	200 / 200 / 600	52	3260	12,8	3000 / 4000 / 5000
7	USTN-2-08-052	200 / 200 / 800	52	3260	15,6	3000 / 4000 / 5000
8	USTN-2-10-052	200 / 200 / 1000	52	3260	18,3	3000 / 4000 / 5000
9	USTN-2-15-052	200 / 200 / 1500	52	3260	26,0	3000 / 4000 / 5000
10	USTN-2-20-052	200 / 200 / 2000	52	3260	32,8	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

NINFA

Landscape lamp

L200/B200/H1000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1800mm

NINFA

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USNN-3-06-025	200 / 200 / 600	25	3015	12,7	3000 / 4000 / 5000
2	USNN-3-08-025	200 / 200 / 800	25	3015	15,1	3000 / 4000 / 5000
3	USNN-3-10-025	200 / 200 / 1000	25	3015	17,5	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

TORRE

Landscape lamp

L340/B200/H1000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1700mm

TORRE

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USTE-3-06-050	340 / 200 / 600	50	6030	14,4	3000 / 4000 / 5000
2	USTE-3-08-050	340 / 200 / 800	50	6030	16,8	3000 / 4000 / 5000
3	USTE-3-10-050	340 / 200 / 1000	50	6030	19,2	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

RIDOTTA

Landscape lamp

L240/B110/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1700mm

RIDOTTA

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USRD-3-06-025	240 / 110 / 600	25	3015	13,4	3000 / 4000 / 5000
2	USRD-3-08-025	240 / 110 / 800	25	3015	16,6	3000 / 4000 / 5000
3	USRD-3-10-025	240 / 110 / 1200	25	3015	19,8	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

GRASSO

Landscape lamp

L120/B70/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1700mm

GRASSO

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USGS-3-06-052	120 / 70 / 600	52	3260	9,2	3000 / 4000 / 5000
2	USGS-3-08-049	120 / 70 / 800	49	3630	11,0	3000 / 4000 / 5000
3	USGS-3-10-049	120 / 70 / 1000	49	3630	12,8	3000 / 4000 / 5000

INVIZ

Landscape lamp

L210/B110/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1700mm

INVIZ

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USIV-3-06-025	210 / 110 / 600	25	3015	12,3	3000 / 4000 / 5000
2	USIV-3-08-025	210 / 110 / 800	25	3015	15,2	3000 / 4000 / 5000
3	USIV-3-10-025	210 / 110 / 1000	25	3015	18,0	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

PIOPPO

Landscape lamp

L400/B400/H1000
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1700mm

PIOPPO

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USPP-3-06-050	400 / 400 / 600	50	6030	18,2	3000 / 4000 / 5000
2	USPP-3-08-050	400 / 400 / 800	50	6030	20,6	3000 / 4000 / 5000
3	USPP-3-10-050	400 / 400 / 1000	50	6030	26,6	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

NUVOLA

Landscape lamp

L165/B165/H1000
Proportions

COLOR
p.132 follow

person, h = 1700mm

NUVOLA

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USNV-1-10-050	165 / 165 / 1000	50	7810	19,8	3000 / 4000 / 5000
2	USNV-1-20-050	165 / 165 / 2000	50	7810	30,1	3000 / 4000 / 5000
3	USNV-1-30-050	165 / 165 / 3000	50	7810	37,9	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

SERRA

Landscape lamp

D108/H800
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1700mm

SERRA

	Art.	D / H, mm	Watt	Lumen	Kg	Color t°, K
1	USSR-4-06-052	108 / 600	52	3260	5,0	3000 / 4000 / 5000
2	USSR-4-08-052	108 / 800	52	3260	5,3	3000 / 4000 / 5000
3	USSR-4-10-049	108 / 1000	49	3630	5,7	3000 / 4000 / 5000
4	USSR-4-12-049	108 / 1200	49	3630	5,9	3000 / 4000 / 5000

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

GRADIENT

Landscape lamp

COLOR

p.132 follow

GUARANTEE 2 YEAR

GRADIENT

person, h = 1800mm

	Art.	L / B / H, mm	Watt	Lumen	Kg	Color t°, K
1	USGD-1-21-052	100 / 100 / 2130	52	3260	24,3	3000 / 4000 / 5000
2	USGD-1-20-049	100 / 100 / 2020	49	3630	23,9	3000 / 4000 / 5000
3	USGD-1-18-098	100 / 100 / 1855	98	7209	23,5	3000 / 4000 / 5000
4	USGD-1-16-098	100 / 100 / 1643	98	7209	23,1	3000 / 4000 / 5000
5	USGD-1-16-095	100 / 100 / 1600	95	7568	22,7	3000 / 4000 / 5000
6	USGD-1-16-093	100 / 100 / 1600	93	7747	22,3	3000 / 4000 / 5000
7	USGD-1-16-092	100 / 100 / 1645	92	7932	21,9	3000 / 4000 / 5000
8	USGD-1-17-091	100 / 100 / 1755	91	8094	21,5	3000 / 4000 / 5000
9*	USGD-1-21-668	3000 / 1500 / 2150*	668	52649	183,2	3000 / 4000 / 5000

*9 - composition, aproximate whole size

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

PLUTON

Landscape lamp

D1460/H1100
Proportions

COLOR
p.132 follow

GUARANTEE 2 YEAR

person, h = 1650mm

PLUTON

Art.	D / H, mm	Watt	Kg	Color t°, K
USPT-9-11-100	1460 / 1100	100	231,6	3000 / 4000 / 5000

OTHER LAMPS OF THE SERIES:

TITAN P.18

HERCULES P.20

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

MENU p.3

2022
STREET LIGHTS
FOR HARD
CLIMATE

Our company is ready to produce lamps in reinforced climatic design, from cold Siberian frosts to tropical warm with a high temperature difference.

For all lamps, we select the optimal «stuffing» to ensure the safest and most durable exploitation.

Наша компания готова изготовить светильники в усиленном климатическом исполнении, от холодных сибирских морозов до тропических теплых с высоким перепадом температур.

Для всех светильников мы подбираем оптимальную «начинку», чтобы обеспечить максимально безопасную и долговечную эксплуатацию.

Use the order constructor p.133 follow

Lamp head detail, support selection on p.58 follow

COLORS & TEXTURE

Our company uses only high quality powder paint.
The catalog contains and sophisticated textures of painting, which are subject to a surcharge.
Check with the manager for details.

Наша компания использует только высококачественные порошковые краски. В каталоге представлены сложные текстуры покраски, за которые взимается дополнительная плата. Подробности уточняйте у менеджера.

МОЛОТКОВАЯ ПОКРАСКА

GLOSSY TEXTURE

A special paint that creates an unusual texture.
High operating temperature range

Специальная краска, создающая необычную текстуру. Высокий диапазон эксплуатационных температур

CB-56
RAL-9016

CB-57
RAL-9010

CB-58
RAL-1013

CB-59
RAL-1015

CB-60
RAL-1014

CB-61
RAL-7035

CB-62
RAL-7040

CB-63
RAL-7012

CB-64
RAL-9005

CB-65
RAL-5002

CB-66
RAL-5012

CB-67
RAL-5021

CB-68
RAL-6005

CB-69
RAL-8019

CB-70
RAL-8017

CB-71
RAL- 3005

* цветопередача на разных устройствах может незначительно отличаться от оригинала
* on different devices colors may differ slightly from the original

BACK TO MENU

INSTRUCTION

This constructor is designed for easy order formation.
Данный конструктор предназначен для удобного сбора заказа.

On the example of the Manisa lamp:
На примере светильника Маниса:

Art. head	USMA-4-06-048
H, mm	600
D, mm	255
Watt	48
Lumen	3850
Kg	11,3
Color t°, K	3000
	4200
	6000

(USMA-4-06-048) CB64-4200K

Art. support	USOP-4-30-000-T2
H, mm	3000
Profile, mm	108/76
Kg	36,5

(USOP-4-30-000-T2) CB64

Art. embedded part	USZL-4-12-000
H, mm	1200
Profile, mm	108
Kg	16,3

(USZL-4-12-000) CB64

Order constructor:
Конструктор заказа:

Article of the standard products, according to the table
Артикул стандартного изделия, согласно таблице

Paint (p.128)

Color t°, K
(constructive with LED)
(при конструктиве с LED)

(AAAA-0-00-000) CB00 - 0000K —— Full article head / landscape light
Полный артикул головы / ландшафтного светильника

(AAAA-0-00-000) CB00 —— Support article, according to the table on p.54
Артикул опоры, по таблице на *стр. 54*

(AAAA-0-00-000) CB00 —— Article of embedded part, according to the table on p.68
Артикул закладной детали, по таблице на *стр. 68*

Ratios of embedded parts to supports
Соотношения закладных деталей к опорам

Art., sample	Support height, mm Высота опоры, мм	**Embedded part height, mm** **Высота закладной детали, мм**
USZL-4-08-000	< 1500	**800**
USZL-4-10-000	> 1500 - 2000	**1000**
USZL-4-12-000	> 2000 - 4000	**1200**
USZL-4-18-000	> 4000 - 6000	**1800**

ABOUT US

Our company is a bespoke illumination manufacturer since 2015.
Manufacture of interior and exterior lighting products is the main activity of the company.
Our manufacture involves more than 150 specialists.
At each stage, from the application of the customer to manufacturing there is a specialist who controls each stage of work.
All our products undergo rigorous quality control.
The work is carried out on modern equipment, which we regularly update and supplement.
Every day we improve the quality of our products, making production processes more automated.
Constant development of production technologies allows us to provide a wider range of finished products.
Our partners are: design, architectural bureaus, design companies and retail clients.
We successfully work with objects of any scale. We carry out multiple deliveries of all types of illumination in short time period.

Russia, ООО «ППСХ»,
SVET**HOLL**
Phone:
+7 (843) 249-16-96
E-mail:
new@svetholl.ru
Telegram:
t.me/svetholl
VK:
vk.com/svetholl
Website:
www.svetholl.ru

Youtube:
https://www.youtube.com/c/
SvetHollCompany

Dubai, B L C S H TRADING, L.L.C
BRIGHT LIGHT
Phone:
+ 971 58 591 7783
(+WhatsApp)
E-mail:
manager@brightlightemirates.com
Website:
www.svetholl.ru
Instagram:
@bright_light_emirates

Youtube:
https://www.youtube.com/channel/
UCkF7MB1KRWx2jB9t86FxszA

Товар
сертифицирован